

Jake H. Waskett
Circlist - Yahoo Group
October 26th 2003



Start a Group - My Groups

Group Member [Edit My Membership]

kalamus4 · Kalamus4@netscape.net

circlist · This is a pro-circumcision list.

Messages

Messages He

Reply | Forward | View Source | Unwrap Lines

Search Archive

Message 27182 of 31523 | Previous | Next [Up Thread] [Message Index](#) Msg # G

From: Jake Waskett <jake@w...>
Date: Sun Oct 26, 2003 5:48 pm
Subject: Circ report, month 3



Home

Messages

Post

Chat

Files

Photos

Links

Database

Polls

Members

Calendar

★ = Owner

☆ = Moderator

☺ = Online

Dear all

For those of you who don't remember, I'm a 26 year old English guy. I was circumcised by Dr Zarifa on the 21st of July, receiving a high & tight circumcision.

Last time I wrote, I had a slight infection. This of course cleared up quickly, and my penis had essentially healed at about week 6. Around the time also, most of the swelling had gone. The swelling has continued to disappear, leaving just a few slight 'bumps' under the incision, particularly where the skin parted slightly and the scar is wider. There is also a slight ridge following the line of the rim of the glans, but about a quarter inch away under the inner foreskin remnant. This too seems to be going, but very slowly. Did anyone else experience that ridge?

My scar is about one inch from the glans on the topside, and about one and a half at the sides. It looked at first as though the left hand side was 'lower', but this seems to have become more even over time. The scarring on the underside is quite dramatic, especially where the 'v' shaped hole centered on the frenulum was. I don't mind. The scar is now starting to become more sensitive, especially on the underside. When did you guys start to notice the scar getting sensitive, and, assuming it is gradual how long did this process take to reach the final sensitivity?

When flaccid and standing, the skin is smooth. When sitting down, there is sometimes a little wrinkling or bunching. When erect, the skin is tight and there is no movement. The underside is particularly tight. As the swelling

JAKE W.
26 OCT 03

10/26/03
JAKE W
26 OCT 03

goes down and the scar becomes more elastic, the circumcision when flaccid looks smoother and neater - effectively looking tighter.

I'm keen to see how it will look in another three months.

I am delighted to report that I am thoroughly enjoying my circumcised penis in every way.

Regards,
Jake.

Replies	Name/Email	Yahoo! ID	Date
27183 Re: Circ report, month 3	skinnedalive03	skinnedalive03	Sun 10/26/2003
27185 Re: Circ report, month 3	Cody20OR@a...	cody20or	Sun 10/26/2003

Message 27182 of 31523 | [Previous](#) | [Next](#) [Up Thread] [Message Index](#) **Msg #** G

[Reply](#) | [Forward](#) | [View Source](#) | [Unwrap Lines](#)

Copyright © 2004 Yahoo! Inc. All rights reserved.
[Privacy Policy](#) - [Copyright Policy](#) - [Terms of Service](#) - [Guidelines](#) - [Help](#)